

Work Order ID 140815

Tuesday, January 19, 2016 12:48:39 PM

140815

Page 1

Item ID: D5272-3

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: Aft Tube

Stop

NS2

Start Date: 1/19/2016 Start Qty: 18.00

18

Cust Item ID:

Required Date: 1/29/2016 Req'd Qty: 18.00

18

Customer:

Reference:

Approvals:

Process Plan:

Date: 1-1-19

Tooling:

Date:

Run

Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

D5272

A

110

0.01

110

Small Fab

Memo

0.00

Small Fab

1- CUT BLANK at 16.00"

2- BEND AS PER DWG WITH MANUEL BENDER AND USE DT10177 AS
A TEMPLATE. SCIBE ENDS FROM THE EDGE OF TEMPLATE AND CUT
TO SIZE.

18 88

FEB 01 2016

120

QC5- Inspect part completeness to step on W/O

0.00

120

QC

Memo

0.00

Quality Control

18

DAS
38
3-09

FEB 02 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					

Root Cause			FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____				
Misidentified ☐	Past Due ☐					

Work Order ID 140815

Tuesday, January 19, 2016 12:48:39 PM

140815

Page 2

Item ID: D5272-3

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: Aft Tube

Stop

NS2

Start Date: 1/19/2016 Start Qty: 18.00

18

Cust Item ID:

Required Date: 1/29/2016 Req'd Qty: 18.00

18

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

Outsource process-Anodize per QSI017 4.1.10.1

1.20

130

Outsource4

Memo

0.00

Outsource process - Anodize

ISSUE P/O TO ATG: 31234

ANODIZE BLACK AS PER DWG AND MIL SPEC

C OF C IS REQUIRED

18FEB 02 2016DAS
13
9-39

140

Receive & Inspect for Damage & Mat'l Certs

0.00

140

Packaging

Memo

0.00

Packaging

18x SP16-02-16.

150

QC5- Inspect part completeness to step on W/O

0.00

150

QC

Memo

0.00

Quality Control

(18)DAS
38
FEB 02 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					

Root Cause			FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date	☐	Manufacturing Process	OTHER : _____							
Misidentified	☐	Past Due								

Work Order ID 140815

Tuesday, January 19, 2016 12:48:39 PM

140815

Page 3

Item ID: D5272-3

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Aft Tube

Start Date: 1/19/2016 Start Qty: 18.00

18

Cust Item ID:

Required Date: 1/29/2016 Req'd Qty: 18.00

18

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***
Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	Identify as per dwg & Stock Location: _____	0.00							
160									
Packaging	Memo	0.00				18	DAS 6		
Packaging	***GA***						9.89		FEB 19 2016
170	QC21- Final Inspection - Work Order Release	0.00							
170									
QC	Memo	0.00				MLJ			FEB 19 2016
Quality Control									

MLJ FEB 19 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐Work Order: 140815Part No. DS272-3

NCR No. _____

DISPOSITION

 Rework ☐
 Scrap ☐
 Use-as-is ☐
 Suspected Unapproved ☐

AGAINST DEPARTMENT/PROCESS

 Skid-tube ☐
 Machining ☐
 Thermoforming ☐
 Large Fab ☐

 Cross tube ☐
 Small Fab ☐
 Finishing ☐
 Composite ☐

 Water Jet ☐
 Prod. Eng. Coord. ☐
 Rec/Store/Packaging ☐
 Supplier ☐

 Engineering ☐
 Quality ☐
 Other ☐

Date: _____

Step #: _____

QTY Effective: _____

MRB (QSI042) Approval _____

Description Work Order Deviation

Disposition

cut MTRL at 15" Long. Mark at 3 1/2"
 and bend until 78. Trim to length
 FF AUG 06 2015 81 after.

NA

16024

Completed By _____

Lead hand / Supervisor

Approval Verification

38
 9-88
 AUG 10 2015

QC / QA Coordinator Approval

Root Cause

Environment ☐Design ☐Doc/Data ☐Equip/Tooling ☐Handling/Pre ☐Material ☐Internal Transport ☐Tribal Knowledge ☐LOA ☐Substation ☐Past Expiry Date ☐Misidentified ☐No Re-verification ☐Operator ☐Offset/Setup ☐Supplier ☐Training ☐Use for Testing ☐Poor Information ☐Rushing ☐Product Improvement ☐Process Improvement ☐Manufacturing Process ☐Past Due ☐Pressure/Forced ☐Bending ☐Centre Not Concentric ☐Cracks ☐Crimp/Kink/Ripple/Wave ☐Cuffs ☐Crushing ☐Heat Treat ☐Wave/Twist in Tube ☐Marks/Chatter ☐OTHER: ☐

FAULT CATEGORY

Temperature/Cure ☐Set-up ☐BOM/Route ☐Broken/Damage/Defect ☐Inspection Incomplete/Unqualified ☐Contamination ☐Countersink ☐Cut Too Short ☐Instructions Incomplete/Unclear ☐Drill Holes ☐Power Loss/Surge ☐Folio/Program ☐Grain ☐Weld ☐Wrong Stock Pulled ☐Out of Sequence ☐Off-set ☐Mislabeled ☐Fit/Function ☐Misaligned/off center ☐Positioned Wrong ☐Outside Dimensions ☐Over/Under tolerance ☐Part Incorrect ☐Part Lost/Missing ☐Part Moved ☐Drawing ☐Finish ☐Misread ☐Turning Sequence ☐

Picklist Print

Tuesday, January 19, 2016 12:48:46 PM

Page 1

Work Order ID: 140815

140815

Parent Item: D5272-3

D5272-3

Parent Item Name: Aft Tube

Start Date: 1/19/2016

Required Date: 1/29/2016

Start Qty: 18.00

Required Qty: 18.00

Comments: IPP REV:A 15.07.09 NEW ISSUE DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M6061T6T1.500W.125

Purchased

No

f

144.0000

25.2

M6061T6T1 500W 125

FF

JAN 20 2016

6061T6 RD TUBE 1.50 X .125W

Location

Loc Qty

Loc Code

MAT016

144

m133700

36

m133966

108

25.2

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
		OTHER : ☐			



D5272-1 FORWARD TUBE

NOTES:




- 1) MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING
PER WW-T-700/8
OR QQ-A-200/8 OR QQ-A-225/8
OR AMS 4080 OR AMS 4082 OR AMS 4083
OR ASTM B210 OR ASTM B241
REF DART SPEC M6061T6T1.500W0.120
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER BENDING
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5272-1" PER DART QSI 044, SECTION 6.1
- 7) WEIGHT: 0.66 lbs
- 8) NO CRUSHING IN HATCHED AREA

RELEASED
2015-12-07
ECN 15-642

APPROVED

DESIGN	CC	DART AEROSPACE USA, INC	
DRAWN	CC	EUGENE, OREGON, USA	
CHECKED	VS	DRAWING NO.	REV. A
MFG. APPR.	JLM	D5272	SHEET 1 OF 2
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	TUBE	NTS
DATE	15.06.10	COPYRIGHT © 2016 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

16-1-19
140815



D5272-3 AFT TUBE

NOTES:

- 1) MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING
PER WW-T-700/8
OR QQ-A-200/8 OR QQ-A-225/8
OR AMS 4080 OR AMS 4082 OR AMS 4083
OR ASTM B210 OR ASTM B241
REF DART SPEC M6061T6T1.500W0.120
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER BENDING
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5272-3" PER DART QSI 044, SECTION 6.1
- 7) WEIGHT: 0.46 lbs
- 8) NO CRUSHING IN HATCHED AREA

RELEASED
2015-12-07

APPROVED

DESIGN	CC	DART AEROSPACE USA, INC EUGENE, OREGON, USA	
DRAWN	CC		
CHECKED	VS	DRAWING NO.	REV. A
MFG. APPR.	JLM	D5272	SHEET 2 OF 2
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	TUBE	NTS
DATE	15.06.10	COPYRIGHT © 2015 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE REPRODUCED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO31234

Purchase Order Date 2/2/2016

PO Print Date 2/3/2016

Page Number 1 of 3

Order From :

VC-ATG001

Ship To : DART AEROSPACE LTD

A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE ROAD
ROCKLAND, ON K4K 1T2
CANADA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

613-446-4544

Ship To Contact

Ship To Phone

Ship Via:

VENDOR'S TRUCK

Ship Acct:

Buyer

Customer P.O.I.D

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA -- (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
-------------	---	------------------------	--------------------------------------	----	--------------------------------	---------------	-------------------

1	140080	D2348 WEARPLATE REV. C	2/3/2016		38.00	\$4.73	\$179.81
---	--------	---------------------------	----------	--	-------	--------	----------

Yes

2/3/2016

black Anodize per MIL-A-8625F Type I or IB or IC or II or IIB Class 2, Type III Class 2

NOTE: PARTS ARE RUSH REQUIRED FRO TOMORROW FEBRUARY 3

Line Total: \$179.81

2	140815	D5272-3 AFT TUBE REV. A	2/10/2016		18.00	\$6.19	\$111.46
---	--------	----------------------------	-----------	--	-------	--------	----------

Yes

2/10/2016

black Anodize per MIL-A-8625F Type I or IB or IC or II or IIB Class 2, Type III Class 2

Line Total: \$111.46

PO Instructions: ADMIN FEE INCLUDED IN UNIT PRICING

Note:

2/3/2016



A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE STREET
ROCKLAND, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 911239

Date: 12-Feb-16

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

CHANTAL LAVOIE

Terms		Ship Via	
Quantity	Description		
PLEASE REFERENCE THE PACK LIST NUMBER ON ALL CORRESPONDENCE TO THIS SHIPMENT. IF YOU HAVE ANY QUESTIONS, PLEASE CALL AT (613) 446-4544.			
18 ea	Part: 140815 D5272-3 AFT TUBE ✓ Job: 19161	PO: 31234	Rev: A Line: 2
18 ea	Part: 140318 D5272-1 FWD TUBE Job: 19162	PO: 31234	Rev: A Line: 3
4 ea	Part: 140085 646.2910 DEFLECTOR Job: 19163	PO: 31234	Rev: N/C Line: 4
15 ea	Part: 140111 646.3110 CHANNEL Job: 19164	PO: 31234	Rev: N/C Line: 5
DATE: 12/2/16			
CERTIFIED SIGNATURE:			
RECEIVER SIGNATURE: _____			
Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt.			
CERTIFICATE OF CONFORMANCE			
A.T.G. INDUSTRIES INC. CERTIFIES THAT ALL ITEMS IN THIS SHIPMENT CONFORM TO REQUIREMENTS.			
MADE IN CANADA.			